



# 12V PRODUCT BROCHURE





## PORTABLE FRIDGE/FREEZERS

<i>Expedition Series</i>	1
<i>Traveller Series</i>	5
<i>Classic Series</i>	9
<i>Low Profile</i>	11
<i>Leisure Series</i>	15

## ICE MAKER

<i>Counter-Top Ice-Maker</i>	21
------------------------------	----

## CAMPING & OUTDOOR

<i>Accessories</i>	23
<i>Solar Panel</i>	25

## AT HOME OUTDOORS

Our world-renowned range of portable camping fridges and freezers is the preferred companion of South African outdoor adventurer's.

Built to withstand the demands of the camping, off-road and long-distance travel, the SnoMaster® range offers the quality, reliability and no-fuss operation that you can depend on to make you feel at home anywhere.

## ENQUIRIES

Email: [info@snomaster.co.za](mailto:info@snomaster.co.za)  
Call: 011 392 5315 / 011 392 3147

## SERVICE & SUPPORT

Email: [service@snomaster.co.za](mailto:service@snomaster.co.za)

[www.snomaster.co.za](http://www.snomaster.co.za)

## ADDRESS & SHOWROOM

**JHB:** 49 Koornhof Rd, Meadowdale,  
Johannesburg, Gauteng, 1614

**CPT:** 31 Stella Rd, Montague Gardens,  
Cape Town, 7441



@SnoMasterSA



SnoMaster SA



snomaster\_south\_africa



@snomaster

# PORTABLE FRIDGE/FREEZERS



The Expedition Series of camping Fridges and Freezers by SnoMaster® are made for the demanding camping and off-roading enthusiast. Offering innovative features and best-in-class cooling performance at extreme temperatures.

The outer shell, interior and all fittings (stainless steel or aluminium) are made tough for Africa and ensure a long product life. The powerful 66 Watt SnoMaster® compressor ensures the best cooling performance and comes with a 7-year warranty.

Available with one or two cooling and freezing compartments with individual lids that go as low as -22° Celsius. Models come with metal insert baskets, protective cover, bottle opener and remote control included and can be operated with 12 and 24 Volt DC and 100 to 240 Volt AC.

In order to protect frozen food in particular from thawing, all double-layered coolers are equipped with two folding covers. The distinctive feature of this series is in the strength of the 70mm polyurethane insulation.

## Expedition Series Features:

- ✓ 3 Speed Setting – High, Auto & Low
- ✓ 66 Watt SnoMaster Compressor
- ✓ Interchangeable Temperature Controller
- ✓ Low Voltage Cut Out Setting (10, 10.7, 11.8V)
- ✓ Corner Feet with Mounting Hole
- ✓ Polyurethane Insulation 70mm
- ✓ Secure Input & Output Plugs
- ✓ Internal LED Light
- ✓ Removable Lid
- ✓ Lid Open Alarm
- ✓ Stainless Steel Cabinet
- ✓ Stainless Steel Hinges, Locks and Handles
- ✓ Baskets Included
- ✓ Bottle Opener Included
- ✓ Solar Powered Remote Control Included
- ✓ Transit Bag Included
- ✓ Extended Warranty Available





**FEATURES:**  
Single Compartment

## SMDZ-EX75

75L STAINLESS STEEL FRIDGE/FREEZER

*The SMDZ-EX75 Fridge/Freezer is durable and has everything you need to keep all your food and beverages at the right temperature during your next outdoor adventure.*

### Specifications

Dimensions (mm) Unit:	(H) 535 (W) 840 (D) 520
Dimensions (mm) Packaged:	(H) 580 (W) 865 (D) 540
Storage Volume:	75L
Temp Range:	-22°C to 10°C
Net Weight:	30kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/60g
Foaming Agent:	Cyclopentane



**FEATURES:**  
Single Compartment

## SMDZ-EX95

95L STAINLESS STEEL FRIDGE/FREEZER

*3-speed settings mean you can cool your drinks quickly, take things slowly and keep your batteries running for longer, or let the Fridge/Freezer run in the background while you get on with food prep, gearing up for your next adventure or cracking open an ice-cold beer.*

### Specifications

Dimensions (mm) Unit:	(H) 630 (W) 825 (D) 510
Dimensions (mm) Packaged:	(H) 680 (W) 870 (D) 550
Storage Volume:	95L
Temp Range:	-22°C to 10°C
Net Weight:	32.5kg
Climate Class:	T
Protection Class:	I
Voltage AC:	220-240V 50/60Hz
Voltage DC:	12V/24V
Rated Current:	1.0A
Refrigerant:	R134a/80g
Foaming Agent:	Cyclopentane





#### FEATURES:

*Dual Compartment  
Interchangeable Compartments*

## SMDZ-EX67D

**66L DUAL COMPARTMENT STAINLESS  
STEEL FRIDGE/FREEZER**

*Built with dual compartments with adjustable temperatures, the SMDZ-EX67D offers a versatile solution for people looking for a Fridge and Freezer combo for food and drinks or Dual Cooler and Freezer options for those looking for additional space.*

### Specifications

Dimensions (mm) Unit:	(H) 530 (W) 840 (D) 520
Dimensions (mm) Packaged:	(H) 580 (W) 865 (D) 540
Storage Volume:	Left: 30L, Right: 36L
Temp Range:	-22°C to 10°C
Net Weight:	32kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/58g
Foaming Agent:	Cyclopentane



#### FEATURES:

*Dual Compartment  
Interchangeable Compartments*

## SMDZ-EX85D

**85L DUAL COMPARTMENT STAINLESS  
STEEL FRIDGE/FREEZER**

*This 85L Portable Fridge/Freezer comes with everything you will need with no optional extras necessary.*

### Specifications

Dimensions (mm) Unit:	(H) 635 (W) 840 (D) 520
Dimensions (mm) Packaged:	(H) 675 (W) 865 (D) 540
Storage Volume:	Left: 37L, Right: 48L
Temp Range:	-22°C to 10°C
Net Weight:	35kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/63g
Foaming Agent:	Cyclopentane



# PORTABLE FRIDGE/FREEZERS



SnoMaster® offers an attractive range for users with limited space with the Traveller Series of Fridges/Freezers.

The outer casing is made of stainless steel, the interior is made of aluminium and plastic. All fittings are made of stainless and hard-wearing stainless steel or aluminium for a longer lifespan.

Packed with innovative features and the best cooling performance at extreme outdoor temperatures make this series an ideal fit for the camping and off-road enthusiast with limited space.

Our range of travel fridges can be used as a cooler or freezer down to -22°C. For 12 and 24 Volt DC as well as 100 to 240 Volt AC.

## Traveller Series Features:

- ✓ 3 Speed Setting – High, Auto & Low
- ✓ 66 Watt SnoMaster Compressor
- ✓ Low Voltage Cut Out Setting (10, 10.7, 11.8V)
- ✓ Corner Feet with Mounting Hole
- ✓ Secure Input & Output Plugs
- ✓ Internal LED Light
- ✓ Lid Open Alarm
- ✓ Baskets Included
- ✓ Bottle Opener Included
- ✓ Transit Bag Included
- ✓ Extended Warranty Available







#### FEATURES:

Polyurethane Insulation 50mm  
Powder Coat Cabinet  
Single Compartment

## SMDZ-TR42

42L POWDER COATED FRIDGE/FREEZER

*Specifically designed to withstand the dust, dirt and vibrations that come with the outdoors, the SMDZ-TR42 Fridge/Freezer is the perfect companion for your next African adventure.*

#### Specifications

Dimensions (mm) Unit:	(H) 520 (W) 365 (D) 660
Dimensions (mm) Packaged:	(H) 560 (W) 425 (D) 710
Storage Volume:	42L
Temp Range:	-22°C to 10°C
Net Weight:	23.5kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Voltage Cut out pre-set:	10.8A
Refrigerant:	R134a/55g
Foaming Agent:	Cyclopentane



#### FEATURES:

Polyurethane Insulation 50mm  
Stainless Steel Cabinet  
Single Compartment

## SMDZ-TR42SS

42L STAINLESS STEEL FRIDGE/FREEZER

*If you have space limitations, then the compact SMDZ-TR42SS Fridge/Freezer, with its super-efficient cooling and freezing options, is the right one for you.*

#### Specifications

Dimensions (mm) Unit:	(H) 520 (W) 365 (D) 660
Dimensions (mm) Packaged:	(H) 560 (W) 425 (D) 710
Storage Volume:	42L
Temp Range:	-22°C to 10°C
Net Weight:	23.5kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Voltage Cut out pre-set:	10.8A
Refrigerant:	R134a/55g
Foaming Agent:	Cyclopentane



## FEATURES:

*Dual Compartment*

*Polyurethane Insulation 45-60mm*

*Interchangeable Temperature Controller*

*Interchangeable Compartments*

## SMDZ-TR82D

**82.5L DUAL COMPARTMENT  
STAINLESS STEEL FRIDGE/FREEZER**

*The SMDZ-TR82D offers you the flexibility to decide how you want to use it. It fits perfectly in your off-road trailer so you take it with you on your next outdoor adventure to use as a Dual Fridge, Dual Freezer or as a Fridge/Freezer combo, the choice is yours!*

## Specifications

Dimensions (mm) Unit:	(H) 535 (W) 840 (D) 520
Dimensions (mm) Packaged:	(H) 580 (W) 865 (D) 540
Storage Volume:	Left: 39L, Right: 42.5L
Temp Range:	-22°C to 10°C
Net Weight:	35kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/56g
Foaming Agent:	Cyclopentane







# PORTABLE FRIDGE/FREEZERS



The SnoMaster® Classic Outdoor Series range of portable Fridge/Freezers are designed to withstand the demands of the camping and off-roading enthusiast. Offering innovative features and best-in-class cooling performance at extreme temperatures.

The outer shell, interior and all fittings (stainless steel or aluminium) are made tough for Africa and ensure a long product life. The powerful 66 Watt SnoMaster® Compressor ensures the best cooling performance and comes with a 7-year warranty.

Available with one or two cooling and freezing compartments with individual lids that go as low as -22° Celsius. Models come with metal insert baskets, protective cover, bottle opener and remote control included and can be operated with 12 and 24 Volt DC and 100 to 240 Volt AC.

In order to protect frozen food in particular from thawing, all double-layered coolers are equipped with two folding covers. The distinctive feature of this series of portable fridge/freezers is in the strength of the 60mm polyurethane insulation.

## Classic Series Features:

- ✓ 3 Speed Setting – High, Auto & Low
- ✓ 66 Watt SnoMaster Compressor
- ✓ Interchangeable Temperature Controller
- ✓ Low Voltage Cut Out Setting (10, 10.7, 11.8V)
- ✓ Corner Feet with Mounting Hole
- ✓ Secure Input & Output Plugs
- ✓ Internal LED Light
- ✓ Removable Lids
- ✓ Lid Open Alarm
- ✓ Stainless Steel Cabinet
- ✓ Stainless Steel Hinges, Locks and Handles
- ✓ Interchangeable Compartments
- ✓ Baskets Included
- ✓ Bottle Opener Included
- ✓ Solar Powered Remote Control Included
- ✓ Transit Bag Included
- ✓ Extended Warranty Available







#### FEATURES:

Polyurethane Insulation 60mm  
Single Compartment

## SMDZ-CL40

40L STAINLESS STEEL FRIDGE/FREEZER

*Packed with removable baskets, protective covers, a Solar-Powered Remote Controller, and a bottle opener that all fit inside a handy transit bag, this Fridge/Freezer combo includes all accessories so you can go on a quick weekend getaway or an extended vacation from day one.*

#### Specifications

Dimensions (mm) Unit:	(H) 520 (W) 625 (D) 460
Dimensions (mm) Packaged:	(H) 575 (W) 670 (D) 490
Storage Volume:	40L
Temp Range:	-22°C to 10°C
Net Weight:	24kg
Climate Class:	T
Protection Class:	I
Voltage AC:	220 – 240V / 50/60Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/75g
Foaming Agent:	Cyclopentane



#### FEATURES:

Polyurethane Insulation 60mm  
Single Compartment

## SMDZ-CL60

60L STAINLESS STEEL FRIDGE/FREEZER

*Capable of storing up to 60L of food and beverages and including a Solar-Powered Remote Controller and low-voltage cut-out settings that automatically disconnect the cooler when your battery level is low, this Fridge/Freezer ensures that you won't have to cut another vacation short to restock, recharge, or refuel.*

#### Specifications

Dimensions (mm) Unit:	(H) 515 (W) 755 (D) 495
Dimensions (mm) Packaged:	(H) 575 (W) 770 (D) 515
Storage Volume:	60L
Temp Range:	-22°C to 10°C
Net Weight:	26kg
Climate Class:	T
Protection Class:	I
Voltage AC:	220-240V 50/60Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/75g
Foaming Agent:	Cyclopentane



## LOW PROFILE

### FEATURES:

Polyurethane Insulation 60mm

Single Compartment

Fits Perfectly Under Tourney Covers

## SMDZ-LP65

65L LOW PROFILE STAINLESS STEEL  
FRIDGE/FREEZER

*Dare to go down the road less travelled. With a Low Profile that fits perfectly under your tourney covers, corner feet with mounting holes that allow for front or side mounting, a transit bag with enough room for your cooler and all the included accessories, plus a Solar-Powered Remote Controller that ensures you have control over your Fridge/Freezer.*

### Specifications

Dimensions (mm) Unit:	(H) 450 (W) 770 (D) 580
Dimensions (mm) Packaged:	(H) 510 (W) 780 (D) 580
Storage Volume:	65L
Temp Range:	-22°C to 10°C
Net Weight:	31.5kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/45g
Foaming Agent:	Cyclopentane



## LOW PROFILE

### FEATURES:

Polyurethane Insulation 60mm

Dual Compartment

Fits Perfectly Under Tourney Covers

## SMDZ-LP66D

66L LOW PROFILE DUAL COMPARTMENT  
STAINLESS STEEL FRIDGE/FREEZER

*Savour the freedom of the outdoors without giving up the comforts of home. With dual compartments that can be used as a Fridge and Freezer combo or as Dual Fridges or Dual Freezers, stocking up on your favourite food and drinks for extended vacations is effortless, and the best thing about it is, this Fridge/Freezer fits right under your tourney cover.*

### Specifications

Dimensions (mm) Unit:	(H) 470 (W) 845 (D) 520
Dimensions (mm) Packaged:	(H) 515 (W) 865 (D) 540
Storage Volume:	Left: 32.5L, Right: 33.5L
Temp Range:	-22°C to 10°C
Net Weight:	28kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/43g
Foaming Agent:	Cyclopentane



## SMDZ-LP96D

### 92.5L DUAL COMPARTMENT STAINLESS STEEL FRIDGE/FREEZER

*A great example of when beauty meets functionality, this gorgeous Dual-Compartment Stainless Steel Fridge/Freezer is built with durability and flexibility in mind and can make for the ideal camping fridge or freezer.*

*Part of our Low Profile lineup, this deceptively compact beauty doubles as a great portable fridge for outdoor get-togethers or as a handy outdoor freezer.*

#### Specifications

Dimensions (mm) Unit:	(H) 465 (W) 990 (D) 575
Dimensions (mm) Packaged:	(H) 530 (W) 1015 (D) 600
Storage Volume:	Left: 41L, Right: 51.5L
Temp Range:	-22°C to 10°C
Net Weight:	39.5kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/60g
Foaming Agent:	Cyclopentane

## LOW PROFILE

### FEATURES:

Polyurethane Insulation 70mm

Dual Compartment

Fits Perfectly Under Tourney Covers





## SMDZ-CL80

80L STAINLESS STEEL FRIDGE/FREEZER

*This high-performance Fridge/Freezer is designed to work effectively in almost any environment and can be easily charged through the lighter socket or the DIN standard socket of a car, truck and AC.*

### Specifications

Dimensions (mm) Unit:	(H) 600 (W) 755 (D) 505
Dimensions (mm) Packaged:	(H) 655 (W) 770 (D) 515
Storage Volume:	80L
Temp Range:	-22°C to 10°C
Net Weight:	30kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/48g
Foaming Agent:	Cyclopentane

### FEATURES:

Polyurethane Insulation 60mm  
Single Compartment







#### FEATURES:

Polyurethane Insulation 60mm  
3 Internal Baskets  
Digital Thermostat  
Dual Compartment

## SMDZ-CL56D

56L DUAL COMPARTMENT STAINLESS  
STEEL FRIDGE/FREEZER

*You can have twice the storage capacity and twice the fun with the SMDZ-CL56D Stainless Steel Fridge/Freezer by your side on your next African adventure.*

#### Specifications

Dimensions (mm) Unit:	(H) 515 (W) 755 (D) 500
Dimensions (mm) Packaged:	(H) 575 (W) 770 (D) 515
Storage Volume:	Left: 26L, Right: 30L
Temp Range:	-22°C to 10°C
Net Weight:	29.5kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/45g
Foaming Agent:	Cyclopentane



#### FEATURES:

Polyurethane Insulation 60mm  
Dual Compartment

## SMDZ-CL72D

72L DUAL COMPARTMENT STAINLESS  
STEEL FRIDGE/FREEZER

*The SMDZ-CL72D with its dual compartments gives you the freedom to use it as you please. Whether you want to use it as a Dual Fridge, a Dual Freezer or even a Fridge/Freezer combo the choice is up to you, because the temperature on each compartment can be adjusted separately.*

#### Specifications

Dimensions (mm) Unit:	(H) 600 (W) 755 (D) 505
Dimensions (mm) Packaged:	(H) 655 (W) 770 (D) 515
Storage Volume:	Left: 32L, Right: 40L
Temp Range:	-22°C to 10°C
Net Weight:	31.5kg
Climate Class:	T
Protection Class:	I
Voltage AC:	230V/50Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/47g
Foaming Agent:	Cyclopentane

# PORTABLE FRIDGE/FREEZERS



The SnoMaster® Leisure Series Car Fridges and Freezers are compact and high-performance coolers for use in the vehicle cabin or boot. They are ideal for daily use, short trips, camping, picnics, braais or even shopping.

Because of the plastic housing and reduced wall thickness (40mm), they are lighter and are more easily portable than other models. The 12L model is so compact that it can be easily stored in the vehicle cabin or fitted between the seats of the 79 Series Land Cruiser. They are equipped with the same reliable technology you expect from our products and a powerful mini SnoMaster® compressor.

## Leisure Series Features:

- ✓ Durable Plastic
- ✓ Internal Power Supply for AC & DC
- ✓ Light Weight
- ✓ Low Voltage Cut Out Setting (10, 11.8V)
- ✓ Interior Light
- ✓ Extended Warranty Available





#### FEATURES:

1 Speed Setting  
12V Only  
3 Minute Startup Delay  
Micro Secob 55W Compressor  
On/Off Operational Switch  
Polyurethane Insulation  
Supplied with Mounting Bracket and Straps  
USB Port

## SMDZ-LS12

12L PORTABLE FRIDGE/FREEZER

*This compact Cooler is ideal for in-cabin storage and fits neatly behind the seats which makes it the ideal solution for the road. Salesmen, delivery vehicles or security guards looking for a space-saving solution will find the SMDZ-LS12 an ideal solution for every day use.*

#### Specifications

Dimensions (mm) Unit:	(H) 390 (W) 195 (D) 505
Dimensions (mm) Packaged:	(H) 450 (W) 260 (D) 550
Storage Volume:	12L
Temp Range:	-12°C to 10°C
Net Weight:	8.5kg
Climate Class:	T
Protection Class:	I
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Cut out Voltage:	10.5A
Refrigerant:	R134a/18g
Foaming Agent:	Cyclopentane



#### FEATURES:

12V Only  
35W Compressor  
Interior Light  
White Plastic Cabinet

## SMDZ-LS28

21L TRAVEL BUDDY FRIDGE/FREEZER

*Ideal for daily in-vehicle use for short trips to work or to the shops as well as for long-distance travel. A great portable and compact Cooler for camping, picnics, braais or going to the beach. This handy and portable fridge freezer is everything you need in an everyday travel companion.*

#### Specifications

Dimensions (mm) Unit:	(H) 300 (W) 610 (D) 320
Dimensions (mm) Packaged:	(H) 370 (W) 655 (D) 360
Storage Volume:	21L
Temp Range:	-22°C to -10°C
Net Weight:	12kg
Climate Class:	T
Protection Class:	I
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Cut out Voltage:	10.5A
Refrigerant:	R134a/28g
Foaming Agent:	Cyclopentane



#### FEATURES:

2 Speed- Max & Eco Settings  
55W Secob Compressor  
Digital Temperature Control  
Cup Holder  
Durable Plastic  
Internal Basket Included

## SMDZ-LS45

45L PORTABLE FRIDGE/FREEZER

*Lightweight, compact and energy-efficient, this Portable Fridge/Freezer can easily fit into the boot or on the back seat of most vehicles. The SMDZ-LS45 is an excellent travel companion and the ideal portable cooler for days at the beach, braai or on a game drive.*

#### Specifications

Dimensions (mm) Unit:	(H) 445 (W) 720 (D) 414.5
Dimensions (mm) Packaged:	(H) 523 (W) 745 (D) 468
Storage Volume:	42L
Temp Range:	-18°C to 10°C
Net Weight:	20.2kg
Climate Class:	T
Protection Class:	I
Voltage AC:	100-240V 50/60Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.3A / 6A/3a0
Refrigerant:	R134a/45g
Foaming Agent:	Cyclopentane



#### FEATURES:

2 Speed- Max & Eco Settings  
55W Secob Compressor  
Blue Internal Fridge Light  
Cyclopentane Insulation  
Digital Temperature Control  
Durable & Improved Handles  
Internal Power Supply For AC & DC

## SMDZ-LS50

50L PLASTIC FRIDGE/FREEZER

*Enhance your next beach or braai day experience with the SMDZ-LS50, this portable and compact Fridge/Freezer is lightweight, compact and energy-efficient.*

#### Specifications

Dimensions (mm) Unit:	(H) 520 (W) 350 (D) 660
Dimensions (mm) Packaged:	(H) 585 (W) 375 (D) 615
Storage Volume:	50L
Temp Range:	-18°C to 10°C
Net Weight:	21kg
Climate Class:	T, ST, SN, N
Protection Class:	I
Voltage AC:	100-240V 50/60Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/45g
Foaming Agent:	Cyclopentane





## SMDZ-LS60

57L PLASTIC FRIDGE/FREEZER

*This Portable Fridge/Freezer with its lightweight, compact and energy-efficient design, can easily fit into the boot or on the back seat of most vehicles. It's the ideal portable cooler for those long days at the beach, braai or even a game drive.*

### FEATURES:

2 Speed- Max & Eco Settings  
55W Secob Compressor  
Cyclopentane Insulation  
Digital Temperature Control  
Internal Basket Included

### Specifications

Dimensions (mm) Unit:	(H) 535 (W) 535 (D) 425
Dimensions (mm) Packaged:	(H) 625 (W) 625 (D) 510
Storage Volume:	57L
Temp Range:	-18°C to 10°C
Net Weight:	19.5kg
Climate Class:	T
Protection Class:	I
Voltage AC:	100-240V 50/60Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	5A / 2.5A
Refrigerant:	R134a(45g)
Foaming Agent:	Cyclopentane





#### FEATURES:

2 Speed- Max & Eco Settings  
55w Secob Compressor  
Blue Internal Fridge Light  
Cyclopentane Insulation  
Digital Temperature Control  
Durable & Improved Handles  
Internal Power Supply For AC & DC

## SMDZ-LS40D

40L PORTABLE FRIDGE/FREEZER

*Ideal for daily in-vehicle use for short trips to work or to the shops as well as for long-distance travel. A great portable and compact cooler for camping, picnics, braais or going to the beach. This handy and Portable Fridge/Freezer is everything you need in an everyday travel companion.*

#### Specifications

Dimensions (mm) Unit:	(H) 444 (W) 664 (D) 414
Storage Volume:	40L
Temp Range:	-18°C to 10°C
Net Weight:	18kg
Climate Class:	T, ST, SN, N
Protection Class:	I
Voltage AC:	100-240V 50/60Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/45g
Foaming Agent:	Cyclopentane
Shell Material:	Polypropylene



#### FEATURES:

2 Speed- Max & Eco Settings  
55w Secob Compressor  
Blue Internal Fridge Light  
Cyclopentane Insulation  
Digital Temperature Control  
Durable & Improved Handles  
Internal Power Supply For AC & DC

## SMDZ-LS60D

60L PORTABLE FRIDGE/FREEZER

*Ideal for daily in-vehicle use for short trips to work or to the shops as well as for long-distance travel. A great portable and compact cooler for camping, picnics, braais or going to the beach. This handy and Portable Fridge/Freezer is everything you need in an everyday travel companion.*

#### Specifications

Dimensions (mm) Unit:	(H) 534 (W) 664 (D) 414
Storage Volume:	60L
Temp Range:	-18°C to 10°C
Net Weight:	19.8kg
Climate Class:	T, ST, SN, N
Protection Class:	I
Voltage AC:	100-240V 50/60Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/45g
Foaming Agent:	Cyclopentane
Shell Material:	Polypropylene



## SMDZ-LS75

75L DUAL COMPARTMENT  
FRIDGE/FREEZER

*Ideal for daily in-vehicle use for short trips to work or to the shops as well as for long-distance travel. A great portable and compact cooler for camping, picnics, braais or going to the beach. This handy and Portable Fridge/Freezer is everything you need in an everyday travel companion.*

### FEATURES:

*2 Speed- Max & Eco Settings  
55W Secob Compressor  
Blue Internal Fridge Light  
Cyclopentane Insulation  
Digital Temperature Control  
Durable & Improved Handles  
Internal Power Supply For AC & DC*

### Specifications

Dimensions (mm) Unit:	(H) 462 (W) 879 (D) 480
Storage Volume:	Left: 45L, Right: 30L
Temp Range:	-18°C to 10°C
Net Weight:	21kg
Climate Class:	T, ST, SN, N
Protection Class:	I
Voltage AC:	100-240V 50/60Hz
Voltage DC:	12V/24V
Rated Current AC/DC:	1.0A
Refrigerant:	R134a/45g
Foaming Agent:	Cyclopentane
Shell Material:	Polypropylene



## ICE-MAKER

Chill out in style with this handy mini Ice-Maker from SnoMaster®. Designed for casual use, this small, stand-alone ice maker is the perfect solution for your home.

Works on both AC and DC currents, so you can choose to plug it to a power source at home or hook it up to battery power in your caravan or camper.

Leave your machine running while you get on with your day. Handy indicators will let you know when you're running low on water or when your ice catchment section is full and ready to be emptied.

### ZBC 15D Features:

- ✓ 3 Cube Size Selection
- ✓ Ice Cube Size: S 25 M 28 L 30
- ✓ 12 Cubes per Cycle
- ✓ Add Water Function
- ✓ Bullet Ice
- ✓ Diazoetic Check on Start up
- ✓ Drain Point
- ✓ Ice Full Sensor
- ✓ Portable
- ✓ Removable Ice Bucket
- ✓ Stainless Steel Finish
- ✓ Stainless Steel Hinge Pins

#### NOTE:

*Water treated with Reverse Osmosis purification often gives a false water indicator.*

*Rather use filtered mineralised water.*

*Ice cycle time is dependent on water temperature.*

*Clean and drain the unit at least once or twice a month. Milton or 10ml vinegar can be added to the water to help the cleaning process.*



# COUNTER-TOP ICE-MAKER



## ZBC-15D

15KG COUNTER-TOP ICE-MAKER  
STAINLESS STEEL AC/DC

*The 15kg SnoMaster® Ice-Maker is designed to fit conveniently on kitchen counters, bars, and even caravan interiors. It also allows you to choose the size of the ice cube to suite your needs, from small to large the size is up to you!*

### Specifications

Dimensions (mm) Unit:	(H) 414 (W) 360 (D) 398
Dimensions (mm) Packaged:	(H) 470 (W) 430 (D) 450
Storage Volume:	1.4kg
Ice Making Capacity:	15kg/24h
Net Weight:	17.2kg
Climate Class:	T
Protection Class:	I
Voltage:	230V/50Hz
Total Input Power:	110W
Rated Current:	1.0A
Refrigerant:	R600a/28g
Applications:	Domestic Use



## ACCESSORIES

The SnoMaster® range of camping and outdoor accessories offers the quality and reliability customers expect of all SnoMaster® products.

Whether you're looking for solar power options or portable camping showers, our growing range of tools and accessories are sure to have a convenient solution for you.

### Pressure Washer features:

- ✓ 3m Power Cord
- ✓ 6m Hose
- ✓ Cordless Power Supply with Rechargeable Battery
- ✓ Includes Nozzle Head, Shower Head and Brush Head for Hose
- ✓ Mesh Accessories Pocket
- ✓ Polypropylene Casing
- ✓ Removable Water Tank
- ✓ Safe and Easy to Use
- ✓ Water Flow Mode
- ✓ Wheels and Belt for Easy Carrying

### Smart Regulator features:

- ✓ Advanced Micro Control Unit (MCU) uses Pulse Width Modulation (PWM) technology.
- ✓ LCD screen to display; battery voltage, charging current, charging capacity (Amp hour), battery types and a visual battery capacity indicator.
- ✓ Built-in regulator prevents your battery from being over or undercharged.
- ✓ Built-in protection to prevent your battery from discharge in low or no light conditions.
- ✓ Multiple protection against reverse polarity, short circuit, over temperature and over voltage.
- ✓ Automatic equalization feature to revive deeply drained lead-acid and calcium batteries.
- ✓ Can be connected to the battery permanently to keep it fully charged by using a process called 'float charge'.
- ✓ Coloured LED's to easily indicate the operational status, battery condition and fault codes.



## GFS-C1S

### 12V PORTABLE PRESSURE WASHER

*Compact, versatile, and has everything you need in one, neat pack, the SnoMaster® Pressure Washer is the perfect cleaning assistant if you spend a lot of time on the road. Works great for cleaning bikes, boats, and caravans.*

#### Specifications

Dimensions (mm) Unit:	(H) 305 (W) 220 (D) 500
Dimensions (mm) Packaged:	(H) 360 (W) 240 (D) 525
Storage Volume:	17L
Gross Weight:	8.5kg/set
Operational Time:	30-35min
Water Pressure:	43.5 - 130.5 PSI (3-9 Bar)
Total Input Power:	60W
Voltage DC:	12V
Applications:	Domestic Use



## SNOREG15A

### SNOMASTER 15A SMART REGULATOR

*The SnoMaster® 15A Smart Regulator is a must-have for off-the-grid power. The control unit is designed to regulate the flow of power from the SnoMaster® Solar Panels to the battery and prolong battery life.*

#### Specifications

Dimensions (mm) Unit:	(H) 77 (W) 180 (D) 60
Dimensions (mm) Packaged:	(H) 290 (W) 250 (D) 60
Net Weight:	500g
Input Connection:	50A Anderson Style
Operating Temp:	-25°C to 50°C
Storage Temp:	-40°C to 85°C
Available with:	SnoMaster 200W Folding Solar Panel (SP-200)

# SOLAR PANELS

The SnoMaster® Solar Panel Kit contains everything you need to harness the power of the sun and recharge your batteries in a handy kit. Complete with a high-tech regulator, cables and carry bag, this lightweight and compact solar kit will keep the power flowing.

High-quality components offer long term durability for dependable operation in the harshest conditions. The included smart regulator helps to avoid under or overcharging, overheating, reversing polarity, and/or discharging your battery unnecessarily.

### Solar Panel Features:

- ✓ Compact Folding Solar Panel Solution
- ✓ Micro Control Unit: Pulse Width Modulation
- ✓ Lightweight
- ✓ Weatherproof

*\*Refer to Page 23 & 24*







**FEATURES:**  
Polyester Carry Case

## SP-120

### 125W SOLAR PANEL

*The SnoMaster® 125W Solar Panel Kit contains everything you need to harness the power of the sun and recharge your batteries in a handy kit. Complete with a high-tech regulator, cables and carry bag, this lightweight and compact solar kit will keep the power flowing.*

#### Specifications

Folded:	(H) 80 (W) 395 (L) 368
Unfolded:	(H) - (W) 395 (L) 2140
Net Weight:	5.3kg (Incl. Accessories)
Part No.:	COMPBI023
Cell Type:	Monocrystalline
Cell Efficiency:	19.5%
Maximum Power (Pm):	125W*
Current at Max. Power (Imp):	6.82A
Voltage at Max. Power (Vmp):	17.6V
Output Connection:	30A Anderson Style
Cell encapsulation:	PET Lamination
Bag Material:	Polyester 900D



**FEATURES:**  
Multi-Use Controller  
Polyester Carry Case

## SP-200

### 200W SOLAR PANEL

*The SnoMaster® 200W Solar Panel kit contains everything you need to harness the power of the sun and recharge your batteries in a handy kit. Complete with a high-tech regulator, cables and carry bag, this lightweight and compact solar kit will keep the camp lights on and the beers frosty.*

#### Specifications

Folded:	(H) 150 (W) 420 (L) 380
Unfolded:	(H) - (W) 815 (L) 1870
Net Weight:	9.1kg (Incl. Accessories)
Part No.:	SP-200
Cell Type:	Monocrystalline
Cell Efficiency:	19.5%
Maximum Power (Pm):	200W
Current at Max. Power (Imp):	11.37A
Voltage at Max. Power (Vmp):	17.6V
Output Connection:	50A Anderson Style
Cell encapsulation:	PET Lamination
Bag Material:	Polyester 900D



## **ADDRESS & SHOWROOM**

**JHB:** 49 Koornhof Road, Meadowdale, Johannesburg, Gauteng, 1614

**CPT:** 31 Stella Rd, Montague Gardens, Cape Town, 7441

## **ENQUIRIES**

*Email: [reception@snomaster.co.za](mailto:reception@snomaster.co.za)*

*Call: 011 392 5315 or 011 392 3147*

## **SERVICE & SUPPORT**

*Email: [service@snomaster.co.za](mailto:service@snomaster.co.za)*

**[www.snomaster.co.za](http://www.snomaster.co.za)**



@SnoMasterSA



SnoMaster SA



snomaster\_south\_africa



@snomaster